

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Tim Girton

Serial No.:

10/042,634

Filed:

January 9, 2002

For:

Improved Stent

Examiner:

Not Assigned yet

Group Art Unit:

3731

Box Missing Parts

Commissioner of Patents

Washington, DC 20231

Docket No.: S63.2-10106

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

This document is in response to the Notice to File Corrected Application Papers mailed on February 14, 2002. Please find attached, 11 pages of formal drawings for this application and a copy of the Notice to File Corrected Application Paper.

Respectfully submitted,

Vidas, Arrett & Steinkraus, P.A.

Date: 04/11/2002

Lisa Ryan-Lindquist

Registration No. 43,071

Suite 2000

6109 Blue Circle Drive

Minnetonka, MN 55343-9185

Phone: (952) 563-3000 Facsimile: (952) 563-3001



ME

05/02/02 05/02/02

Ñ THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Tim Girton

Application No.:

10/042.634

Filed:

January 9, 2002

For:

Improved Stent

Examiner:

(Not yet assigned)

Group Art Unit:

3731

Commissioner for Patent Washington, D.C. 20231

Docket No.: S63.2-10106

TRANSMITTAL LETTER

In regard to the above-identified application, we are submitting the attached:
 11 pgs of drawings, 1 pg. Response to notice to file corrected application papers, 1 pg. Notice to file corrected application papers VAS transmittal and postcard

- 2. With respect to fees:
 - No additional fee is required.
 - □ Attached is check(s) in the amount of \$
 - □ Charge additional fee to our Deposit Account No. 22-0350.
- 3. CONDITIONAL PETITION FOR EXTENSION OF TIME

This conditional petition is being filed along with the papers identified in Item 1 above and provides for the possibility that Applicant has inadvertently overlooked the need for a petition and fee for extension of time or for a petition and fee for any other matter petitionable to the Commissioner as required. If any extension of time for the accompanying response is required or if a petition for any other matter is required, by petitioner, Applicant requests that this be considered a petition therefor.

4. Notwithstanding paragraph 2 above, if any additional fees associated with this communication are required and have not otherwise been paid, including any fee associated with the Conditional Petition for Extension of Time, or any request in the accompanying papers for action which requires a fee as a petition to the Commissioner, please charge the additional fees to Deposit Account No. 22-0350. Please charge any additional fees or credit overpayment associated with this communication to the Deposit Account No. 22-0350.

VIDAS, ARRETT & STEINKRAUS

Date: 04/11/2002

Lisa Ryan-Lindquist/ Registration No.43.071

6109 Blue Circle Drive, Suite 2000 Minnetonka, MN 55343-9185 Telephone: (952) 563-3000

Facsimile: (952) 563-3001

Certificate Under 37 CFR 1.8: I hereby certify that this Transmittal Letter and the paper(s) as described herein, are being deposited in the U.S. Postal Service, as FIRST CLASS MAIL, addressed to Commissioner for Patents, Washington D.C. 20231, on





MONNED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.usplo.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/042,634

01/09/2002

Timothy S. Girton

S63.2-10106

CONFIRMATION NO. 5258

490 VIDAS, ARRETT & STEINKRAUS, P.A. 6109 BLUE CIRCLE DRIVE SUITE 2000

MINNETONKA, MN 55343-9185

FORMALITIES LETTER

OC000000007474431

Date Mailed: 02/14/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE